



Determining of reference star for Winafro

By Erik Bryssinck (april 2009) – <http://www.cara-project.org>

The choice of a good reference star is VERY important for producing good afrho-measurements.

So there are a lot of agreements to make, such as:

- choice of star only in catalog I239 (Hipparcos and /of Tycho main)
- choice of color index of the star (B-V) (between 0.5 and 0.7 or 0.4 and 0.8 (see further)
- distance of the comet and the reference star = max. 1 degree in distance of the comet
- magnitude of the referencestar versus error in magnitude: about 9 and 10 but the Magnitude error must as low as possible.

With this knowledge, we must carefully select a good reference star. Now the question: how can be search this referencestar on a proper and quick way ?

What we is first at all search of a HIPPARCOS star, if we can't find a Hipparcosstar we select a Tycho main star that complies the rules mentioned above.

A choice for searching the referencestar could be:

http://webviz.u-strasbg.fr/viz-bin/VizieR?-source=I/239/tyc_main

The screenshot shows the VizieR web interface. The search parameters are set to 'I/239' and 'The Hipparcos and Tycho Catalogues (ESA 1997)'. The 'Target dimension' is set to '1 deg'. The 'Position' field is highlighted with a red circle. A yellow box with a red arrow points to the 'Target dimension' field, containing the text 'Change distance from target to 1 degree'. Another yellow box with a red arrow points to the 'Position' field, containing the text 'Fill in RA and DEC coordinates with 1 blank separation'. The 'Output preferences for Position' table is visible below.

Compute	Sort by	Column	Clear	Explain (UCD)
<input type="checkbox"/>	<input type="radio"/>	ra	<input type="checkbox"/>	1) (meta.record) (RECORD)
<input type="checkbox"/>	<input type="radio"/>	dec	<input type="checkbox"/>	(main) (ID_MAIN)
<input type="checkbox"/>	<input type="radio"/>	Proxy	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="radio"/>	RAhms	<input type="checkbox"/>	(pos.eq.ra.meta.main) (POS_BO_RA_MAIN)
<input type="checkbox"/>	<input type="radio"/>	DEhms	<input type="checkbox"/>	(pos.eq.dec.meta.main) (POS_BO_DEC_MAIN)
<input type="checkbox"/>	<input type="radio"/>	mag	<input type="checkbox"/>	(mag) Magnitude in Johnson V (T5) (phot.mag.em.opt.V) (PHOT_JHN_V)
<input type="checkbox"/>	<input type="radio"/>	r_mag	<input type="checkbox"/>	(cha) [BDTV] Source of magnitude (T7) (Note) (meta.ref) (REFER_CODE)
<input type="checkbox"/>	<input type="radio"/>	RA(ICRS)	<input type="checkbox"/>	deg alpha, degrees (ICRS, Epoch=J1991.25) (T8) (Note) (pos.eq.ra.meta.main) (POS_BO_RA_MAIN)
<input type="checkbox"/>	<input type="radio"/>	DE(ICRS)	<input type="checkbox"/>	deg delta, degrees (ICRS, Epoch=J1991.25) (T9) (Note) (pos.eq.dec.meta.main) (POS_BO_DEC_MAIN)

fig 1

What must be done:

1. position of the target in the sky: first the RA en DECL. coordinates of the comet. First the RA than give 1 SPACE end fill the DECL. coordinate in.
2. Distance of the target were you want search for stars: Here fill in '1' 'degree'.
3. In the left column 'Show', leave all marks and as extra: set "HIPPARCOS" = 'ON', 'Btmag' = OFF, 'e_B-V' = 'ON' .
4. For the 'B-V' set a search window between 0.5 and 0.7 or the ultimate values when you can find a proper reference star: 0.4 and 0.8. fill in as: '0.5' 'SPACE' '..' 'SPACE' '0.7'. Why ? Our sun has a B-V index of 0.656 (ref: *Astronomical Society of the Pacific, Publications (ISSN 0004-6280), vol. 104, no. 681, p. 1035-1038.*), the light that scattered on the dust of the comet is the same light of our sun. To get a high accuracy , it is best that we take a reference star with almost the same spectrum as our Sun.
5. Push ' Submit Query'




fig 2

The result you get is: (see below fig 3)

A list, sorted in distance to the comet, this is very useful to determine whether you have a star in your field of view of the comet.

you see that there is a Hipparcos star meets the criteria: in this example: **Hipparcos 113456** in a distance of 0.8 degrees of the comet.

you can also see the nearest star that meets the criteria is **Tycho 5813 487 1** in a distance of 0.253 degrees of the comet. So possible in the same FOV, the error of magnitude is not very hig. error values higher than 0.1 should be avoided, you best take a low error value.

Which reference star should we take for imaging ?

First I should take the **Hipparcos 113456** star and second, if the star is in the same FOV of my image, I should take **TYCHO 5813 487 1**. If not in the same FOV I should take **TYCHO 5813 679 1** because the low error in magnitude

Result of VizieR Search within 1° of 22:57:9-9:10:5(J2000) with 1 constraint (B-V: '0.5 .. 0.7') ordered by increasing_r

Max. Entries: 50 Output layout: HTML Table ALL columns

The Hipparcos and Tycho Catalogues (ESA 1997)
The main part of Tycho Catalogue (1058332 rows)

To get all details for a row, just click on the row number in the leftmost 'Full' column.
The 3 columns in color are computed by VizieR, and are not part of the original data (note that the computed coordinates are computed from the positions and the proper motions given in the table)

Note: Note that the errors on the proper motions are large (~50mas/yr), and therefore the positions computed at an epoch different from 1991.25 have a large (~0.4") uncertainty.
NEW The Tycho Epoch Photometry data can be accessed from the morePhoto column

Full	r deg	RAJ2000 "hms"	DEJ2000 "dms"	TYC	RA(hms)	DE(dms)	Vmag	RA(ICRS) deg	DE(ICRS) deg	HIP	VTmag	B-V	e mag
1	0.254178	22 56 43.551	-08 56 11.69	5813 487 1	22 56 43.45	-08 56 11.9	9.86	344.18106154	-8.93663034		9.918	0.543	0.041
2	0.471358	22 58 59.081	-09 17 56.06	5820 795 1	22 58 59.11	-09 17 55.7	9.94	344.74630911	-9.29879210		10.012	0.643	0.041
3	0.491098	22 55 48.529	-09 31 51.92	5813 926 1	22 55 48.52	-09 31 51.5	10.30	343.95218538	-9.53097341		10.353	0.525	0.069
4	0.622666	22 55 58.462	-08 37 02.09	5813 813 1	22 55 58.54	-08 37 01.4	10.86	343.99393485	-8.61706280		9.922	0.600	0.111
5	0.634644	22 55 31.349	-09 39 35.04	5813 679 1	22 55 31.37	-09 39 34.9	9.42	343.88070349	-9.65970340		9.487	0.586	0.033
6	0.655140	22 55 15.912	-09 37 46.90	5813 705 1	22 55 15.91	-09 37 46.9	10.73	343.81629539	-9.62968091		10.803	0.634	0.098
7	0.666848	22 59 51.009	-09 08 45.97	5820 843 1	22 59 51.02	-09 08 46.1	10.74	344.96259175	-9.14614526		10.802	0.583	0.072
8	0.712621	22 54 43.433	-08 46 57.30	5813 335 1	22 54 43.38	-08 46 57.1	10.80	343.68074111	-8.78252458		10.869	0.642	0.108
9	0.760612	22 56 18.944	-09 54 01.84	5813 919 1	22 56 18.94	-09 54 01.2	9.56	344.07893394	-9.90032886		9.635	0.652	0.039
10	0.800014	22 58 37.734	-08 27 22.61	5813 401 1	22 58 37.60	-08 27 21.8	9.06	344.65666518	-8.45605855	113456	9.124	0.586	0.019
11	0.810629	22 59 19.491	-08 33 39.16	5820 675 1	22 59 19.47	-08 33 39.4	9.21	344.83114232	-8.56093648		9.259	0.502	0.021
12	0.848748	22 59 13.790	-08 29 32.88	5820 1294 1	22 59 13.75	-08 29 32.5	10.08	344.80730625	-8.49237463		10.143	0.612	0.047
13	0.849222	22 59 32.105	-08 33 25.17	5820 731 1	22 59 32.15	-08 33 23.8	10.27	344.88395841	-8.55661223		10.344	0.652	0.050
14	0.943150	22 55 35.789	-10 01 47.17	5816 194 1	22 55 35.74	-10 01 47.6	10.66	343.89893198	-10.02988361		10.720	0.596	0.089
15	0.958705	22 58 55.326	-10 01 17.81	5823 56 1	22 58 55.28	-10 01 17.6	9.82	344.73032427	-10.02156236		9.888	0.598	0.046

Available Visualisations:
•Plot the results with the VOPlot utility

fig 3

Register to Remove Trial Watermark!!

The stars could be verified in Winafrho to check if they are in the catalog that is delivered with winafrho.
(see fig 4 + 5)





fig 4

Register eDocPrinter PDF Pro Online Now!!

Register to Remove Trial Watermark!!



Register eDocPrinter PDF Pro Online Now!!